

# OnMiniSpot



## OnMiniSpot

OnMiniSpot is designed specifically for cabinets where precise illumination is required for showcasing merchandizes such as, jewelry, watches, porcelain, glass and accessories. With its adjustable and rotatable beam direction, OnMiniSpot can target the merchandizes details, surfaces and textures. Mounting the LED fixture on magnetic power rails provides flexibility and easy maintenance.

Color rendering: CRI > 90  
Color temperature CCT: 3000K, 4000K  
Luminous flux: 70Lm  
Efficacy: 70Lm/W  
Power consumption: 1W  
Lens: 20 degree  
Voltage: 24V CV  
Lifetime: 30.000 hours  
Guarantee: 2 years  
Protection: IP 20  
Color options: Black, White (Alternative colours on request)  
Material: Aluminium  
Dimensions (WxDxH): Ø 22x43 mm

# OnMiniSpot

## ON MINI SPOT FOR 7MM TRACK

Art.No	Product	Magnet distance	CCT	Finish Colour
ELS7030-07-3BK	On Mini Spot 7mm 24V 1W CRI>90 3000K 20dg Black	7mm	3000K	Black
ELS7030-07-4BK	On Mini Spot 7mm 24V 1W CRI>90 4000K 20dg Black	7mm	4000K	Black
ELS7030-07-3WH	On Mini Spot 7mm 24V 1W CRI>90 3000K 20dg White	7mm	3000K	White
ELS7030-07-4WH	On Mini Spot 7mm 24V 1W CRI>90 4000K 20dg White	7mm	4000K	White

# OnMiniSpot

---



---

## Installation Instructions:

7mm tracks with double adhesive tape.

1. Fix the track system to application place.
2. Connect the suitable LED driver to the connection cables of the track.
3. Put On Mini Spot light onto the track, the magnet feet tread into the square holes or the slot.

## ON MINI SPOT - 7MM TRACK

Art.No	Product	Magnet distance	Length	Width	Height	Finish Colour
EL15044018	Steel bar 5x5x1324mm, Chrome plated (Order 2 per track)	7mm	1324mm	5mm	5mm	Dark Chr

EL15042001-BK	2000mm Back Cover, ZH, Black 9004	7mm	2000mm			Black
EL15042002-BK	2000mm Front Cover w. holes 100mm grid, ZH, Black 9004	7mm	2000mm			Black
EL15042003-BK	2000mm Front Cover, no holes, ZH, Black 9004	7mm	2000mm			Black
EL15042001-WH	2000mm Back Cover, ZH, White 9010	7mm	2000mm			White
EL15042002-WH	2000mm Front Cover w. holes 100mm grid, ZH, White 9010	7mm	2000mm			White
EL15042003-WH	2000mm Front Cover, no holes, ZH, White 9010	7mm	2000mm			White

7mm Tracks are provided double adhesive tape on the Back Profile. NB: 2 Steel Bars needed per track

## ON MINI SPOT - DRIVERS AND CABLE ACCESSORY

Art.No	Product	Length	Width	Height
ELSNP20-24VFE	Snappy Driver 20W 180-264Vac, 24V 103x35,5x16	103mm	35,5mm	16mm
ELSNP50-24VF1	Snappy driver 50W 180-264Vac, 24V 159x59x18 CV	159mm	59mm	18mm

EL1500038	One Way Splitter, with 350mm cable (Connect driver and 10mm track)	350mm			
EL1500041	Extension LOZH Cable 1000mm CV, Male-female plug, White	1000mm			
EL1500033	Cable AC 230V 3000mm 2x0,75mm <sup>2</sup> , PVC Black, EU Plug	3000mm			