


OnPole



OnPole

OnPole is a flexible pole in three different heights with a head with 3 LEDs, which can be tilted and turned for focusing on displayed items in showcases.


WATT: 3W
Lumen: 210lm
CCT: 3000K, 4000K on request.
Finish: Black
CRI: >90Ra

OnPole

ON POLE - SPECIFICATIONS

Art.No	Product	Height	Head position	Watt	Lumen	CCT	Finish Colour
ELS60200703L	OnPole S6020 70mm 3W CC 350mA CRI>90 3000K black, Head on left side	70mm	Left	3W	210Lm	3000K	Black
ELS60200703R	OnPole S6020 70mm 3W CC 350mA CRI>90 3000K black, Head on right side	70mm	Right	3W	210Lm	3000K	Black
ELS60201453L	OnPole S6020 145mm 3W CC 350mA CRI>90 3000K black, Head on left side	145mm	Left	3W	210Lm	3000K	Black
ELS60201453R	OnPole S6020 145mm 3W CC 350mA CRI>90 3000K black, Head on right side	145mm	Right	3W	210Lm	3000K	Black
ELS60202603L	OnPole S6020 260mm 3W CC 350mA CRI>90 3000K black, Head on left side	260mm	Left	3W	210Lm	3000K	Black
ELS60202603R	OnPole S6020 260mm 3W CC 350mA CRI>90 3000K black, Head on right side	260mm	Right	3W	210Lm	3000K	Black

OnPole



Installation

ONPOLE is a flexible pole in three different heights with a head with 3 LEDs, which can be tilted and turned for focusing on displayed items in showcases.

1. Switch off the power of the mains supply and the connection lead before installing the product
2. Drill $\varnothing 10.5\text{mm}$ of a hole
3. Remove the nut and insert the thread until

4. the washer meets the server and fasten the nut from below
5. Connect the plug in the driver connection box

NB: The connection box provides connection of grouped fittings in the series. Any unused outlets in the connection box must be looped through in the connection box using male plug loops.

OnPole

ON POLE - DRIVERS AND CABLE ACCESSORY

Art.No	Product	Input	Output V min/max	Output W min/max	Length	Width	Height
LE90002	Letaron Driver AED15-350ILS, CC 350Ma 100-240V 15-44V, CE/ TUV/UL/SAA/CCC	100-240V	5-14W	15-44W	122mm	38,2mm	18,1mm
EL1500004-ZH	Male plug loop (Order one for each empty slot in the splitters below)						
EL1500002-ZH	3way splitter w. 350mm cable. Connection between driver and 3 luminaries				350mm		
EL1500003-ZH	3way splitter w. 350mm cable. Connection between driver and 4 luminaries				350mm		
EL1500001-ZH	Extension cable 2300mm. Connection between splitter and luminaries				2300mm		
EL1500033	Cable AC 230V, 3000mm 2x0,75mm ² , PVC Black, EU Plug				3000mm		
NB: The Letaron Driver will be able to operate 2, 3 or 4 ON POLE				At 350Ma			